

| | | | | | | | | | |
|---|-----------------------------------|---------------|-----------------------------------|---------------|---------------------------------|--------------|--------|---|---|
| A | Model | C | Outdoor unit | | MXZ-3F54VF4 | | | | |
| | | | B | Indoor unit 1 | | MSZ-AY15VGKP | | | |
| | | Indoor unit 2 | | MSZ-AY15VGKP | | | | | |
| | | Indoor unit 3 | | MSZ-AY50VGKP | | | | | |
| | | Indoor unit 4 | | - | | | | | |
| | | Indoor unit 5 | | - | | | | | |
| | | Indoor unit 6 | | - | | | | | |
| D | Sound Power level on cooling mode | F | Out-side | dB(A) | 60 | | | | |
| | | | E | Inside 1 | dB(A) | 54 | | | |
| | | Inside 2 | | dB(A) | 54 | | | | |
| | | Inside 3 | | dB(A) | 58 | | | | |
| | | Inside 4 | | dB(A) | - | | | | |
| | | Inside 5 | | dB(A) | - | | | | |
| | | Inside 6 | dB(A) | - | | | | | |
| G | Refrigerant *1 | | | | R32 | | | | |
| H | Cooling | SEER | | | 8 | | | | |
| | | J | Energy efficiency class | | | A++ | | | |
| | | K | Annual electricity consumption *2 | kWh/a | 240 | | | | |
| | | L | Design load | kW | 5,4 | | | | |
| | | | | | Warmer | Average | Colder | | |
| M | Heating | SCOP | | | - | 4,5 | - | | |
| | | J | Energy efficiency class | | | - | A+ | - | |
| | | K | Annual electricity consumption *2 | kWh/a | - | 1542 | - | | |
| | | L | Design load | kW | - | 5,2 | - | | |
| | | N | De- clared capacity | P | at reference design temperature | kW | - | - | - |
| | | | | R | at bivalent temperature | kW | - | - | - |
| | | | | S | at operation limit temperature | kW | - | - | - |
| T | Back up heating capacity | kW | - | - | - | | | | |

